

## SAFETY DATA SHEET

Revision date: 04-January-2019 Page 1 of 7

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE

**Product Identifier** 

Material Name: THIN BRICK

Trade Name: Thin Brick

Chemical Family: Predominately Aluminum Silicates

Formula: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Intended Use:** Building material used for structural support.

Emergency telephone number: Corporate Office: (610) 374-4011 Technical Services: (610) 562-3076

# 2. HAZARDS IDENTIFICATION

Appearance: Granular brick-shaped solid; comes in wide range of colors

Hazard Classification of the Substance or Mixture:

Skin irritation 2 Eye irritation 2A Skin sensitization 1B Carcinogenicity 1A

Specific target organ toxicity - Single exposure 3
Specific target organ toxicity - Repeated exposure 1

Signal Word: Danger

Hazard Statement: Thin Brick dust may contain crystalline silica, a chemical that has been determined by certain

agencies to cause cancer. See Section 11 for more information on health hazards.

Pictograms:



Material Name: Thin Brick Page 2 of 7

Revision date: 04-January-2019

\_\_\_\_\_

### 2. HAZARDS IDENTIFICATION

Precautionary Statements: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only

outdoors or in a well-ventilated area. Do not breathe dust.

Response: If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get

medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If thin brick dust is inhaled: Remove person to fresh air and keep

comfortable for breathing. Call a poison center/doctor if you feel unwell.

Storage: Not Applicable

**Disposal:** Dispose of unused or unwanted thin brick products in accordance with all local, regional,

national and international regulations.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	% Weight
Aluminum Silicates	Various	50 – 85
Quartz	14808-60-7	Varies
Chromium compounds	Various	0 – 3
Manganese compounds	Various	0 – 3
Iron Compounds as granular body additives	Various	0 – 3
Calcium compounds	Various	0 – 3

**Additional Information:** 

The above chemistries are provided for industrial hygiene and environmental purposes and are not intended to represent product specifications. This information has been compiled from data believed to be reliable. Elements such as aluminum, arsenic, boron, calcium, chromium, cobalt, copper, lead, molybdenum, nickel, tin, titanium, vanadium, and zirconium may be present in trace amounts. Thin brick products as shipped do not present an exposure hazard.

# 4. FIRST AID MEASURES

**Description of First Aid Measures** 

Eye Contact: Flush with running water. Obtain medical assistance if irritation continues.

#### **SAFETY DATA SHEET**

Material Name: Thin Brick Page 3 of 7

Revision date: 04-January-2019

\_\_\_\_\_

**Skin Contact:** Wash with soap and water. If an allergic reaction causes a rash that does not heal within a

few days consult a physician. Treat abrasions as any other scrape or cut with disinfectants

and bandages.

**Ingestion:** None (no known acute effects).

**Inhalation:** Remove from exposure to airborne particulates. Consult a physician if breathing does not

return to normal.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

**Exposure:** Identification and/or Section 11 - Toxicological Information.

**Medical Conditions** Excessive dust exposure may aggravate any existing respiratory disorders or diseases.

Aggravated by Exposure: Possible complications or allergies resulting in irritation to skin, eyes, and respiratory tract may

occur from excessive exposure to dusts.

Recommendations for Immediate Medical Attention and Special Treatment Needed

**Notes to Physician:** Symptoms may not appear immediately.

Specific Treatments: In case of accident or if you feel unwell, seek medical advice immediately.

### 5. FIRE-FIGHTING MEASURES

Extinguishing Media: Not applicable

Special Hazards Arising from the Substance or Mixture

**Hazardous Combustion** 

No data available

**Products:** 

Fire / Explosion Hazards: Thin bricks as shipped do not pose a fire or explosion hazard.

**Advice for Fire-Fighters** 

None

# 6. ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions and Protective Equipment**

Use personal protection recommended in Section 8.

**Emergency Procedures** 

Not applicable.

Methods and Material for Containment and Cleaning Up

Not applicable.

**Cleanup Procedures** 

Not applicable.

Material Name: Thin Brick Page 4 of 7

Revision date: 04-January-2019

### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Minimize dust generation and accumulation. Avoid breathing dust. Use wet methods, especially when cutting thin brick to reduce the generation of dust.

#### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Always stack and store thin bricks in a stable manner to avoid falling hazards.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Aluminum Silicates** 

**OSHA PEL** 15 mg/m<sup>3</sup> **ACGIH TLV** 10 mg/m<sup>3</sup>

Quartz

OSHA PEL $10 / \%SiO_2 + 2 mg/m^3$ ACGIH TLV $0.025 mg/m^3$  (respirable)

**Chromium Compounds** 

OSHA PEL Not available ACGIH TLV Not available

**Manganese Compounds** 

OSHA PEL Not available
ACGIH TLV Not available

Iron Compounds as granular body additives

OSHA PEL Not available
ACGIH TLV Not available

**Calcium Compounds** 

OSHA PEL Not available ACGIH TLV Not available

**Exposure Controls** 

**Engineering Controls:** Provide adequate ventilation to maintain exposures below the OSHA PEL and ACGIH TLV for

quartz and other substances.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

**Equipment:** protective equipment (PPE).

**Feet:** Use of steel toe shoes is recommended when handling thin brick.

**Eyes and Face:** Face shields should be used when sawing thin brick.

**Skin:** Use gloves and or protective clothing if abrasions or allergic reactions are experienced. **Respiratory protection:** For airborne concentration exceeding the OSHA PEL or ACGIH TLV use a NIOSH and/or

MSHA approved respirator.

Other: Use of wet sawing methods is recommended anytime that thin bricks must be cut.

Material Name: Thin Brick Page 5 of 7

Revision date: 04-January-2019

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Color: **Physical State:** Granular solid Thin bricks come in a wide

range of colors

Essentially odorless **Odor Threshold:** No data available Odor. **Molecular Weight:** Mixture

Molecular Formula: Mixture

**Solvent Solubility:** No data available

Water Solubility: Negligible

No data available. pH: **Melting/Freezing Point (°C):** No data available **Boiling Point (°C):** No data available Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

**Decomposition Temperature (°C):** No data available.

**Evaporation Rate (Gram/s):** No data available Vapor Pressure (kPa): No data available Vapor Density (g/ml): No data available **Relative Density:** No data available Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): No data available Upper Explosive Limits (Liquid) (% by Vol.): No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

### 10. STABILITY AND REACTIVITY

Reactivity: Thin bricks as shipped are not reactive **Chemical Stability:** Stable under normal conditions of use

Possibility of Hazardous Reactions:

**Oxidizing Properties:** No data available **Incompatible Materials:** No data available **Hazardous Decomposition** No data available

**Products:** 

### 11. TOXICOLOGICAL INFORMATION

#### **Effects of Short Term and Long Term Exposure:**

#### **Short Term**

Thin bricks as shipped do not present an inhalation, ingestion or contact hazard. However, operations such as sawing and grinding may result in the following effects.

Eye: May cause irritation by abrasion with dust or chips.

Material Name: Thin Brick Page 6 of 7

Revision date: 04-January-2019

\_\_\_\_\_

#### 11. TOXICOLOGICAL INFORMATION

**Skin:** Thin brick dust or chips may cause allergic reactions in hypersensitive individuals; May cause

cuts and skin abrasions.

**Inhalation:** Thin brick dust or chips may cause congestion and irritation in nasal and respiratory passages.

**Ingestion:** No known acute effects.

#### **Long Term**

Excessive exposures to respirable particulates (dust) over an extended period of time may result in the development of pulmonary diseases such as silicosis.

#### Information on Toxicological Effects

**General Information:** 

Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of crystalline silica. Thin brick dust may contain crystalline silica, a chemical that has been determined by certain agencies to cause cancer and other chemicals known to cause cancer, birth defects and other reproductive harm. Inhalation of thin brick dust above established or recommended exposure levels should be avoided by use of wet sawing or shaping and/or use of a NIOSH and/or MSHA approved respirator.

Carcinogen Status:

The following carcinogenicity classifications for crystalline silica have been established by the following agencies:

following agencies:

OSHA: Not regulated as a carcinogen

IARC: Group 1 carcinogenic in humans

NIOSH: Carcinogen, with no further categorization

NTP: Known carcinogen

#### 12. ECOLOGICAL INFORMATION

There are no known environmental impacts. No ecological consideration when used according to directions.

#### 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** 

Dispose of waste in accordance with all applicable laws and regulations. State specific and Community specific provisions must be considered. It is recommended that waste minimization be practiced.

#### 14. TRANSPORT INFORMATION

This material is not regulated for transportation as a hazardous material/dangerous good.

DOT: Thin bricks as shipped are not hazardous materials per DOT regulations.

Material Name: Thin Brick Page 7 of 7

Revision date:04-January-2019

## 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

RCRA Thin brick in its solid form is typically considered a non-hazardous waste for disposal,

but local regulation may vary, therefore all waste must be

disposed/recycled/reclaimed in accordance with federal, state, and local

environmental control regulations. Water containing thin brick solids, such as from wet sawing operations, should also be disposed of in accordance with federal, state and local environmental regulation. Thin brick waste should not be used as a blasting

agent.

**EPCRA Section 311/312:** Thin bricks as shipped are not a Section 311/312 reportable product.

**EPCRA Section 313:** Thin bricks as shipped are not subject to the Section 313, Toxic Chemical Release

Inventory reporting requirements.

**DOT:** Thin bricks as shipped are not hazardous materials per DOT regulations.

California Proposition 65: This product contains crystalline silica, a substance known to the State of California to

cause cancer. This product may contain trace amounts of heavy metals known to the

State of California to cause cancer, birth defects, or other reproductive harm.

## 16. OTHER INFORMATION

Brick It Corporation considers our product an "article" as defined in 30 CFR 1200(b)(g)(iv) and 40 CFR 372.38. As an article, an SDS is not required and the product is exempt from all other requirements of the hazard communication standard. OSHA requires an SDS for thin brick because it is occasionally dry sawed. We recommend only wet sawing of thin brick.

**Data Sources:** The data contained in this SDS may have been gathered from third party sources, raw

material suppliers, or from the published literature.

**Reasons for Revision:** Updated company logo as a supplier of this product.

**Prepared by:** The Glen-Gery Corporation, revised by Brick It.

This SDS was prepared with information believed accurate at the time of preparation and was prepared and provided in good faith. However, the Brick It Corporation assumes no responsibility as to the accuracy or suitability of such information and no warranty expressed or implied is made.

**End of Safety Data Sheet**