GreenGuard[®] Pigmented XPS Insulation Board

SAFETY DATA SHEET

 Identification of Products and Company Products: Kingspan GreenGuard[®] Attic Rafter Vent Kingspan GreenGuard[®] DC14 Drainage Mat Rollstock

Recommended use: Identified uses: Building materials. Restrictions on use: Keep out of reach of children.

Supplier: Kingspan Insulation LLC 2100 Riveredge Parkway, Suite 175 Atlanta, GA 30328 USA Tel: 1-800-241-4402 Email: info@kingspaninsulation.us Website: www.kingpaninsulation.us

2 Hazards Identification

GHS Classification: Not classified as a hazardous chemical.

GHS Label elements: No hazard classifications.

Other hazards:

During a fire, smoke, irritating and toxic fumes may be generated. Product can melt at temperatures greater than 93° C (200°F).

Other Hazards Classifications:

USA: This product conforms to the U.S. Occupational Safety and Health Administration (OSHA) Hazard Communication Standard's definition of an "Article," i.e., "...a manufactured item: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent ...upon its shape or design...; and (iii) which does not release, or otherwise result in exposure to, a hazardous chemical, under normal conditions of use." [29 CFR 1910.1200 (b) (iv)] This product is an article pursuant to 29 CFR 1910.1200 and, as such, is not subject to the OSHA Hazard Communication Standard requirement.

Canada: This is not a controlled product under WHMIS. This product meets the definition of a "Manufactured Article" and is not subject to the regulations of the Hazardous Products Act. While this product is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and under WHMIS, this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

3 Composition/Information on Ingredients

Chemical Name	Case No.	% Weight Range
No hazardous ingredients by OSHA and WHMIS criteria.		

4 First-Aid Measures

Description of first-aid measures:

Inhalation: If symptoms are experienced, remove source of contamination or have person move to fresh air. Obtain medical advice.

Skin Contact: If irritation does occur, wash with plenty of water. If irritation persists, obtain medical advice.

Eyes: If particulate contacts the eyes, rinse cautiously with water while holding the eyelids open. If irritation persists obtain medical attention. DO NOT attempt to manually remove anything stuck to the eye.

Ingestion: Not acutely toxic if swallowed. If swallowed, call a POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed: High concentrations of dust may cause coughing and mild, temporary irritation following a short-term exposure. Heavy prolonged industrial exposure to high airborne concentrations of dust may cause impaired lung function. Chronic bronchitis, pulmonary fibrosis and respiratory tract lesions have also been reported with high level inhaled dust exposures.

5 Fire-Fighting Measures

Extinguishing Media:

Use water spray, foam, carbon dioxide, dry chemical, or other extinguishing

media appropriate for the surrounding fire. Water or foam may cause frothing. Use water to keep fire-exposed material cool.

Special hazards arising from the substance:

Not flammable. Product can burn if involved in a fire. During a fire, combustion can generate toxic fumes which may include resin fragments, smoke, carbon monoxide and carbon dioxide.

Advice for firefighters:

As for any fire, evacuate the area and fight the fire from a safe distance. Wear a pressure-demand, self-contained breathing apparatus and full protective gear. Fight fire from a protected location or a safe distance. Prevent water runoff from fire control from entering natural waterways, sewers and drinking water supplies.

6 Accidental release Measures

Personal precautions, protective equipment and emergency procedures: Wear proper personal protective equipment as indicated in Section 8.

Environmental precautions:

It is good practice to prevent release of this product into the environment.

Methods and material for containment and cleaning up:

Sweep, scoop or vacuum product for recovery, recycling or disposal. Avoid raising dusts during cleaning.

Additional Information:

See Section 8 for information on selection of personal protective equipment. See Section 13 for information on disposal of spilled product.

7 Handling and Storage

Precautions for safe handling:

During cutting machining operations, avoid contact with eyes and skin. Wear protective gloves.

Avoid breathing dusts. Do not eat, drink or smoke in work areas. Wash hands thoroughly after handling this material.

Conditions for safe storage:

Store in a cool dry space away from extreme high temperatures, open flames, strong oxidizers, combustible materials, hot areas or other ignition resources. Avoid prolonged storage in direct sunlight. Store as a Group A substance according to NFPA 231.

Incompatible materials: Strong oxidizers, aromatic and chlorinated hydrocarbons.

8 Exposure Controls / Personal Protection

Occupational exposure limits: Consult local authorities for acceptable exposure limits. No recognized exposure limits for airborne chemical substances from this solid article.

Ingredient	ACGIH [®] TLV [®]	OSHA	ONTARIO (Canada) TWA
Inhalable dust	3 mg/m ³ (respirable) 10 mg/m ³ (inhalable) Particles (insoluble or poorly soluble) Not Otherwise specified (PNOS)	5 mg/m ³ (respirable) 15 mg/m ³ (inhalable) Particles (insoluble or poorly soluble) Not Otherwise specified (PNOS)	3 mg/m ³ (respirable) 10 mg/m ³ (inhalable) Particles (insoluble or poorly soluble) Not Otherwise specified (PNOS)
Exposure Controls	:		
Engineering co	venti	de good general ventilation lation when necessary to c entrations below exposure	ontrol dust
Personal protect	ction: Follow the d equip prote	irections for personal prote oment for the worksite. Ap ective footwear is recomme ling large boards.	ective propriate
Inhalation:	occu appro an N prote requi and A Asso follow	n dust concentrations in air pational exposure guideline oved particulate respirator 95, R95 or P95 filter. A resp ection program that meets irements, such as OSHA's 2 ANSI Z88.2 or Canadian Sta ciation (CSA) Standard Z94. wed whenever workplace o ant a respirator's use.	es, wear an equipped with biratory the regulatory 9 CFR 1910.134 ndards 4, must be
Eyes / Face:		r safety glasses or goggles f ations.	or all cutting
Skin:	howe	equired for normal use of t ever it is good practice to w body- covering clothing.	· ·

9 Physician and Chemical Properties

Information on basic physical and chemical properties:

Appearance:	Solid, tinted, thin foamed plastic sheathing; Green or blue-	
	green.	
Odor:	Slight, sweet plastic odor.	
Odor threshold:	Not applicable.	
pH:	Not applicable.	
Melting point/freezing point:		
	>93°C (200°F).	

Initial boiling point and	
boiling range:	Not applicable.
Flash point:	Not applicable.
Evaporation rate:	Not applicable.
Flammability (solid, gas):	>260°C (500°F) ASTM D1929.
Upper/lower flammability or	
explosive limits:	Not available.
Vapor pressure:	Not applicable.
Vapor density:	Not applicable.
Relative density:	0.07 (water=1).
Solubility (ies):	Insoluble in water.
Partition coefficient	
(n-octanol/water):	Not available.
Auto-ignition temperature:	
	>482°C (900°F).
Explosive properties:	Not applicable
Oxidizing properties:	Not applicable
Sensitivity to mechanical	
impact:	Not applicable
Sensitivity to static discharge:	
	Not available
Decomposition temperature:	
	Not available.
Viscosity:	Not applicable.
VOC content:	Not available.

10 Stability and Reactivity

Reactivity: Not classified for reactivity hazards.

Chemical Stability: Stable at normal ambient and anticipated storage and handling conditions.

Possibility of hazardous reactions: None known.

Conditions to avoid: Do not use in conditions of extreme heat or near open flames.

Incompatible Materials: Strong oxidizers, aromatic and chlorinated hydrocarbons.

Hazardous Decomposition Products: Thermal decomposition and incomplete combustion can produce toxic fumes containing the following: acids, acrolein, aldyhydes, halogens, ketones, monomers, possible hydrocarbons, carbon monoxide and carbon dioxide.

11 Toxicological Information

Acute health effects:

Acute toxicity data are not available for this article.

Skin corrosion / irritation:

Worker experience with this material indicates the product is non-irritating. Animal test data indicates the material is non-irritating. Dusts of this product may cause mild, temporary skin irritation by mechanical abrasion. Dusts may cause temporary irritation as a foreign objection in the eye.

Chronic health effects:

None known.

Sensitization: None known

Neurological effects: None known

Carcinogenicity:

The component substances are not classified as carcinogens in humans as described by ACGIH (American Conference of Governmental Industrial Hygienists) and IARC International Agency for Research on Cancer).

Reproductive toxicity:

Data not available.

Developmental effects:

The flame retardant additive possesses developmental effects (Repr. 2, Lact.) with a NOAEL for teratogenic effects of 1,000 mg/kg bw (rat, gavage). The flame retardant is present at less than 0.1% and GHS classification is not required.

Target organ effects:

None known

Carcinogenicity

The component substances are not classified as carcinogens in humans as described by ACGIH (American Conference of Governmental Industrial Hygienists) and IARC (International Agency for Research on Cancer)

Medical conditions aggravated by exposure: None known.

Interactions with other chemicals: None known.

12 Ecological Information

Toxicity:	No data available.
Persistence and degradability:	This product is not readily bio-degradable. Plastic components will photodegrade with prolonged exposures to UV light (e.g. sunlight).
Bioaccumulative potential:	No data available.
Mobility in soil:	No data available.

13 Disposal Considerations

Waste treatment methods:

Where facilities exist, the product and packaging can be recycled. Dispose in accordance with local regulations. Store material for disposal as indicated in Section 7 Handling and Storage. Proper incineration in state-of-the-art incinerators equipped with after-burners, yields carbon dioxide and water. Polymer materials may not decompose in modern sanitary landfills. Materials may be recycled where adequate collection and recycling facilities exist.

14 Transport Information

UN Number: Not regulated as a dangerous good for transport UN proper shipping name: Not regulated as a dangerous good for transport Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for user: None known

15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

USA:

OSHA: Article, Non-Hazardous according to OSHA Hazard Communication Standard 29 CFR 1910.120 (2012). TSCA Inventory: All component substances are listed on the TSCA 8(b) inventory.

Contains: Hexabromocyclododecane as flame-retardant TSCA Section 8(a) PAIR reporting list; Section 8(d) health and safety reporting list of substances.

SARA Title III : Sec.302 / 304: None.

Sec. 313: None.

Canada:

WHMIS Classification: Not controlled. Product meets the definition of a "manufactured article" and is not subject to the regulations of the Hazardous Products Act.

DSL: Component substances are listed on the DSL.

16 Other Information

Revision date: March 21, 2022 References and sources for data:

Supplier MSDS for component materials.

Legend to abbreviations:

ACGIH Amer	ACGIH American Conference of Governmental Industrial Hygienists.	
GHS	Globally Harmonized System for Classification and Labeling,	
	UNECE 2013.	
IARC	International Agency for Research on Cancer.	
OSHA	United States, Occupational Safety and Health Administration.	
NOAEL	No observed adverse effect level.	
NTP	National Toxicology Program.	
WHMIS	Canada, Workplace Hazardous Materials Information System.	

Additional information:

For additional product and/or MSDS information, please contact Kingspan Insulation LLC at (800) 241-4402. Information provided by sources external to our company and set forth herein is offered in good faith as accurate, but without guarantee. Safety precautions contained herein cannot anticipate all individual and unique situations. Conditions of use and suitability of the product for particular uses are beyond our control. All risks of use of the product are, therefore, assumed by the user, and we expressly disclaim all warranties of every kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to the use or suitability of the product. Nothing herein is intended as recommendation for uses which infringe valid patents or as extension of license under valid patents. Appropriate warnings and safe handling procedures should be provided to users.



Please scan the QR code for the most recent product information.

Kingspan Insulation LLC 2100 Riveredge Parkway | Suite 175 Atlanta | Georgia 30328

T: +1 (800) 241 4402 F: +1 (678) 589 7325 E: info@kingspaninsulation.us

www.kingspaninsulation.us www.kingspaninsulation.ca

 Kingspan, the G Device and the Lion Device are Registered Trademarks of the Kingspan Group plc in the US, Canada and other countries. All rights reserved.
GreenGuard is a Registered Trademark of the Kingspan Group plc in the US. All rights reserved.

kingspan-greenguard-pigmented-xps-safety-data-sheet-en-us-ca-v3.1 Version 3.1 - 06/2022

